




























































City Tree List

| Type | Scientific | Common Name | Mature Height | Spread | Under Wires? | Min Strip Width | Flower Color | Fall Color | PRTAB on list | Comments |
|-----------------------------|--|--------------------------------|---------------|--------|--------------|-----------------|---|---|---------------|---|
| Large Columnar Trees | | | | | | | | | | |
| | <i>Acer nigrum</i> 'Green Column' | Green Column Black Sugar Maple | 50 | 10 | No | 6 | N/A |  | | Good close to buildings. |
| | <i>Fraxinus americana</i> 'Empire' | Empire Ash | 50 | 25 | No | 6 | N/A |  | | Use for areas adjacent to taller buildings when ash tree is desired species. |
| | <i>Ginkgo biloba</i> 'Princeton Sentry' | Princeton Sentry Ginkgo | 40 | 15 | No | 6 | N/A |  | | Very narrow growth. |
| | <i>Nyssa sylvatica</i> | Tupelo | 60 | 20 | No | 6 | N/A |  | | Handsome chunky bark. |
| | <i>Quercus</i> 'Crimschmidt' | Crimson Spire Oak | 45 | 15 | No | 6 | N/A |  | Yes | Hard to find in the nursery trade. Tightly upright, red fall color, tolerant of urban setting. |
| | <i>Quercus frainetto</i> | Italian Oak | 50 | 30 | No | 6 | N/A |  | | Drought resistant – beautiful green, glossy leaves in summer. |
| | <i>Quercus robur</i> 'fastigiata' | Skyrocket Oak | 40 | 15 | No | 6 | N/A |  | | Columnar variety of oak. |
| | <i>Taxodium distichum</i> 'Mickelson' | Shawnee Brave Bald Cypress | 55 | 20 | No | 6 | N/A |  | | Deciduous conifer - tolerates city conditions. |
| | <i>Quercus robur x alba</i> Skinny Genes | Skinny Genes | 45 | 10 | | | N/A |  | | |
| Large Trees | | | | | | | | | | |
| | <i>Acer saccharum</i> 'Bonfire' | Bonfire Sugar Maple | 50 | 40 | No | 6 | N/A |  | | Fastest growing sugar maple. |
| | <i>Acer saccharum</i> 'Commemoration' | Commemoration Sugar Maple | 50 | 35 | No | 6 | N/A |  | | Resistant to leaf tatter. |
| | <i>Acer saccharum</i> 'Green Mountain' | Green Mountain Sugar Map | 45 | 35 | No | 6 | N/A |  | | Reliable fall color. |
| | <i>Acer saccharum</i> 'Legacy' | Legacy Sugar Maple | 50 | 35 | No | 5 | N/A |  | | Limited use - where sugar maple is desired in limited planting strip area. |
| | <i>Aesculus flava</i> | Yellow Buckeye | 60 | 40 | No | 6 |  |  | | Least susceptible to leaf blotch – large fruit – fall color is varied, but quite beautiful. |
| | <i>Cercidiphyllum japonicum</i> | Katsura Tree | 40 | 40 | No | 6 | N/A |  | | Needs lots of water when young – can produce large surface roots. |
| | <i>Fagus sylvatica</i> | Green Beech | 50 | 40 | No | 6 | N/A |  | | Silvery-grey bark. |
| | <i>Fagus sylvatica</i> 'Asplenifolia' | Fernleaf Beech | 60 | 50 | No | 6 | N/A |  | | Beautiful cut leaf. |
| | <i>Fraxinus latifolia</i> | Oregon Ash | 60 | 35 | No | 6 | N/A |  | Yes | Only native ash in Pacific Northwest. |
| | <i>Fraxinus pennsylvanica</i> 'Patmore' | Patmore Ash | 45 | 35 | No | 6 | N/A |  | | Extremely hardy, may be seedless. |
| | <i>Fraxinus pennsylvanica</i> 'Urbanite' | Urbanite Ash | 50 | 40 | No | 6 | N/A |  | | Tolerant of city conditions. |
| | <i>Ginkgo biloba</i> 'Magyar' | Magyar Ginkgo | 50 | 25 | No | 6 | N/A |  | Yes | more upright and narrow than 'Autumn Gold'. |
| | <i>Gymnocladus dioica</i> 'Espresso' | Espresso Kentucky Coffee | 50 | 35 | No | 6 | N/A |  | | Very coarse branches - extremely large bi-pinnately compound leaves. |
| | <i>Liquidambar styraciflua</i> 'Rotundiloba' | Rotundiloba Sweetgum | 45 | 25 | No | 8 | N/A |  | | Only sweetgum that is entirely fruitless. Smooth rounded leaf lobes. |
| | <i>Liriodendron tulipifera</i> | Tulip Tree | 60 | 30 | No | 8 | N/A |  | | Fast-growing tree – can get very large in open conditions. |
| | <i>Metasequoia glyptostroboides</i> | Dawn Redwood | 50 | 25 | No | 6 | N/A |  | | Fast growing deciduous conifer. |
| | <i>Platanus x acerifolia</i> 'Bloodgood' | Bloodgood London Planetree | 50 | 40 | No | 8 | N/A |  | | More anthracnose resistant than other varieties – large tree that needs space. |
| | <i>Platanus x acerifolia</i> 'Yarwood' | Yarwood London Planetree | 50 | 40 | No | 8 | N/A |  | | High resistance to powdery mildew. |
| | <i>Quercus bicolor</i> | Swamp White Oak | 60 | 45 | No | 8 | N/A |  | | Interesting shaggy peeling bark. |
| | <i>Quercus coccinea</i> | Scarlet Oak | 60 | 40 | No | 6 | N/A |  | | Best oak for fall color. |
| | <i>Quercus garryana</i> | Oregon Oak | 50 | 40 | No | 8 | N/A |  | Yes | Native to Pacific Northwest. |
| | <i>Quercus imbricaria</i> | Shingle Oak | 60 | 50 | No | 6 | N/A |  | | Nice summer foliage - leaves can persist throughout the winter. |
| | <i>Quercus muhlenbergii</i> | Chestnut Oak | 60 | 50 | No | 6 | N/A |  | | Coarsely toothed leaf |
| | <i>Quercus robur</i> | English Oak | 60 | 40 | No | 8 | N/A | | Yes | Large, sturdy tree. Acorns do not need dormant cold period to germinate, so can be invasive. |
| | <i>Quercus rubra</i> | Red Oak | 60 | 45 | No | 8 | N/A |  | | Fast growing oak – large tree that needs space. |
| | <i>Quercus velutina</i> | Black Oak | 60 | 50 | No | 8 | N/A |  | | More drought tolerant than red oak. |
| | <i>Taxodium distichum</i> | Bald Cypress | 55 | 35 | No | 8 | N/A |  | | A deciduous conifer, broadly spreading when mature – columnar when young. |
| | <i>Ulmus</i> 'Homestead' | Homestead Elm | 60 | 35 | No | 6 | N/A |  | | Complex hybrid - close in form to American elm - Resistant to Dutch elm disease. |
| | <i>Ulmus</i> 'Frontier' | Frontier Elm | 50 | 35 | No | 6 | N/A |  | | Resistant to Dutch elm disease. |
| | <i>Zelkova serrata</i> 'Greenvase' | Green Vase Zelkova | 45 | 40 | No | 6 | N/A |  | | Attractive exfoliating bark provides Winter appeal. Dark green leaves turn orange-red and purple in Fall. |
| | <i>Zelkova serrata</i> 'Village Green' | Village Green Zelkova | 40 | 40 | No | 6 | N/A |  | | Green Vase, Mussichino and Halka are improved forms. |































































City Tree List

| Type | Scientific | Common Name | Mature Height | Spread | Under Wires? | Min Strip Width | Flower Color | Fall Color | PRTAB on list | Comments |
|--|--|-------------------------------|---------------|--------|--------------|-----------------|---|---|---------------|--|
| Medium / Large Trees | | | | | | | | | | |
| | <i>Acer campestre</i> | Hedge Maple | 50 | 30 | No | 5 | N/A |  | | Contrary to its name, this is not a small tree – nice overall shape and structure. |
| | <i>Acer campestre</i> 'Evelyn' | Queen Elizabeth Hedge Maple | 40 | 30 | No | 5 | N/A |  | Yes | More upright branching than the species. |
| | <i>Acer freemanii</i> 'Autumn Blaze' | Autumn Blaze Maple | 50 | 40 | No | 6 | N/A |  | | Cross between red and silver maple – fast growing with good fall color. |
| | <i>Acer miyabei</i> 'Morton' | State Street Maple | 40 | 30 | No | 6 | N/A |  | | Similar to, but faster growing and larger than Hedge maple. |
| | <i>Acer pseudoplatanus</i> 'Atropurpureum' | Spaethii Maple | 40 | 30 | No | 5 | N/A |  | | Leaves green on top purple underneath. |
| | <i>Acer Rubrum</i> | Autumn Spire | 50 | 30 | No | | N/A |  | | Full sun, partial shade narrow upright |
| | <i>Acer rubrum</i> 'Scarsen' | Scarlet Sentinel Maple | 40 | 25 | No | 6 | N/A |  | | Leaves are darker green and larger than those of other Red Maples, and they hold up well in summer heat. |
| | <i>Aesculus x carnea</i> 'Briottii' | Red Horsechestnut | 30 | 35 | No | 6 |  |  | | Resists heat and drought better than other horsechestnuts. |
| | <i>Betula jacquemontii</i> | Jacquemontii Birch | 40 | 30 | No | 5 | N/A |  | | White bark makes for good winter interest – best for aphid resistance, but does have issues with Bronze Birch Borer. |
| | <i>Corylus colurna</i> | Turkish Filbert | 40 | 25 | No | 5 | N/A |  | | Tight, formal, dense crown - not for areas with high pedestrian traffic as tree can have significant debris from nut production. |
| | <i>Fraxinus americana</i> 'Autumn Applause' | Autumn Applause Ash | 45 | 25 | No | 6 | N/A |  | | Purple fall foliage - Compact tree - reportedly seedless. |
| | <i>Fraxinus pennsylvanica</i> 'Cimmzam' | Cimmaron Ash | 50 | 30 | No | 6 | N/A |  | | More upright than 'Patmore' with more bronze/cinnamon fall color. |
| | <i>Ginkgo biloba</i> 'Autumn Gold' | Autumn Gold Ginkgo | 45 | 35 | No | 6 | N/A |  | | Narrow when young. |
| Medium / Large Trees, Continued | | | | | | | | | | |
| | <i>Liquidambar styraciflua</i> 'Moraine' | Moraine Sweetgum | 40 | 25 | No | 8 | N/A |  | | Light green foliage. More compact than other varieties of sweet gum. Brittle branches. |
| | <i>Nothofagus antarctica</i> | Antarctic Beech | 50 | 35 | No | 5 | N/A |  | | Rugged twisted branching and petite foliage – difficult to find in the nursery trade. |
| | <i>Tilia americana</i> 'Redmond' | Redmond Linden | 50 | 30 | No | 8 | N/A |  | | Pyramidal, needs extra water when young. |
| | <i>Tilia cordata</i> 'Greenspire' | Greenspire Linden | 40 | 30 | No | 6 | N/A |  | | Symmetrical, pyramidal form – sometimes has structural issues due to tight branch attachments. |
| | <i>Ulmus parvifolia</i> 'Emer II' | Allee Elm | 45 | 35 | No | 5 | N/A |  | | Exfoliating bark and nice fall color – Resistant to Dutch Elm Disease. |
| Medium Columnar Trees | | | | | | | | | | |
| | <i>Acer rubrum</i> 'Bowhall' | Bowhall Maple | 40 | 20 | No | 6 | N/A |  | | An upright, pyramidal form that is significantly wider than 'Armstrong' or 'Columnare'. |
| | <i>Carpinus betulus</i> 'Fastigiata' | Pyramidal European Hornbeam | 40 | 15 | No | 5 | N/A |  | | Broadens when older. |
| | <i>Cornus nuttallii x florida</i> | Dogwood Eddie's Whiter Wonder | 30 | 20 | No | 5 |  |  | Yes | White flowers, red fall color |
| | <i>Fagus sylvatica</i> 'Dawyck Purple' | Dawyck Purple Beech | 40 | 12 | No | 6 | N/A |  | | Purple foliage. |
| | <i>Fagus sylvatica</i> 'Fastigiata' | Copper beed 'Red Obelisk' | 30 | 10 | No | 6 | N/A | N/A | Yes | Column, sun, tolerant, burgundy leaves. |
| | <i>Liriodendron tulipifera</i> 'Fastigiatum' | Columnar Tulip Tree | 40 | 10 | No | 6 |  |  | | Good next to buildings – can have problems with tight branch angles. |
| | <i>Malus</i> 'Tschonoskii' | Tschonoskii Crabapple | 30 | 15 | Yes | 5 |  |  | | Sparse green fruit, pyramidal. |
| | <i>Oxydendron arboreum</i> | Sourwood | 35 | 12 | No | 5 |  |  | Yes | Consistent and brilliant fall color. |
| | <i>Prunus sargentii</i> 'Columnaris' | Columnar Sargent Cherry | 35 | 15 | No | 8 |  |  | | Upright form. The cherry with the best fall color. Can suffer from brown rot in spring. |
| | <i>Prunus x hillieri</i> 'Spire' | Spire Cherry | 30 | 10 | Yes | 6 |  |  | | One of the few 'wire friendly' columnar cherries. Can suffer from brown rot in spring. |
| | <i>Pyrus calleryana</i> 'Cambridge' | Cambridge Pear | 40 | 15 | No | 5 |  |  | | Narrow tree with better branch angles and form than the species – brittle limbs may still be a problem with breakage due to ice or wet snow. |






























City Tree List

| Type | Scientific | Common Name | Mature Height | Spread | Under Wires? | Min Strip Width | Flower Color | Fall Color | PRTAB on list | Comments |
|---------------------|--|--------------------------------------|---------------|--------|--------------|-----------------|---|---|---------------|---|
| Medium Trees | | | | | | | | | | |
| | <i>Acer grandidentatum</i> 'Schmidt' | Rocky Mt. Glow Maple | 25 | 20 | Yes | 5 | N/A |  | Yes | Intense red fall color - Limited availability in nursery trade. |
| | <i>Acer henryi</i> | Henry's maple | 30 | 30 | No | 6 |  |  | Yes | |
| | <i>Acer rubrum</i> 'Karpick' | Karpick Maple | 40 | 20 | No | 6 | N/A |  | | Finer texture than other narrow forms of columnar maple. |
| | <i>Acer truncatum</i> x <i>A. platanoides</i> 'Warrensred' | Pacific Sunset Maple | 30 | 25 | Yes | 5 | N/A |  | | Limited use under higher wires. |
| | <i>Betula albosinensis</i> var <i>septentrionalis</i> | Chinese Red Birch | 40 | 35 | No | 5 | N/A |  | | White and pink peeling bark. |
| | <i>Carpinus caroliniana</i> | American Hornbeam 'Native Flame' | 25 | 20 | Yes | 5 | N/A |  | Yes | Outstanding fall color (variable – yellow, orange, red) – nice little tree. |
| | <i>Cladrastis kentukea</i> | Yellowwood | 40 | 40 | No | 5 |  |  | | White flowers in spring, resembling wisteria flower – blooms profusely only every 2 to 4 years – yellow/gold fall color. |
| | <i>Cornus controversa</i> 'June Snow' | Giant Dogwood | 40 | 30 | No | 5 |  |  | | Frothy, 6-inch clusters of white flowers in June. |
| | <i>Cornus</i> 'Eddie's White Wonder' | Eddie's White Wonder Dogwood | 30 | 20 | Yes | 5 |  |  | | A hybrid of <i>C. florida</i> and <i>C. nuttallii</i> . |
| | <i>Crataegus crus-galli</i> 'Inermis' | Thornless Cockspur Hawthorne | 25 | 30 | Yes | 5 |  |  | | Red persistent fruit. |
| | <i>Crataegus phaenopyrum</i> | Washington Hawthorne | 25 | 20 | Yes | 5 |  |  | Yes | Thorny – do not plant in high use areas. |
| | <i>Crataegus x lavalii</i> | Lavalle Hawthorne | 25 | 20 | Yes | 5 |  |  | Yes | Thorns on younger trees. |
| | <i>Davidia involucrata</i> | Dove Tree | 40 | 30 | No | 5 |  | N/A | | Large, unique flowers in May. |
| | <i>Eucommia ulmoides</i> | Hardy Rubber Tree | 50 | 40 | No | 6 | N/A | N/A | | Dark green, very shiny leaves – insignificant fall color. |
| | <i>g FAGUS</i> | Purple Oak Leaf Beech | 50 | 30 | No | 6 | N/A | N/A | | Attractive purple leaves with wavy margins. |
| | <i>Halesia monticola</i> | Mountain Silverbell | 45 | 25 | No | 5 |  |  | | Attractive small white flower. |
| | <i>Halesia tetraptera</i> | Carolina Silverbell | 35 | 30 | No | 5 |  |  | | Attractive bark for seasonal interest. |
| | <i>Koelreuteria paniculata</i> | Goldenrain Tree | 30 | 30 | Yes | 5 |  |  | | Midsummer blooming – slow growing. |
| | <i>Magnolia denudata</i> | Yulan Magnolia | 40 | 40 | No | 5 |  | N/A | | 6" inch fragrant white flowers in spring. |
| | <i>Magnolia grandiflora</i> 'Victoria' | Victoria Evergreen Magnolia | 25 | 20 | Yes | 5 |  | N/A | | Evergreen magnolia – can be damaged in years with wet, heavy snow. |
| | <i>Magnolia kobus</i> 'Wada's Memory' | Wada's Memory Magnolia' | 30 | 20 | Yes | 5 |  |  | Yes | Does not flower well when young. |
| | <i>Ostrya virginiana</i> | Ironwood | 40 | 25 | No | 5 | N/A |  | Yes | Hop like fruit – slow growing. |
| | <i>Phellodendron amurense</i> 'Macho' | Macho Cork Tree | 40 | 40 | No | 5 | N/A |  | | This variety is fruitless – fall color can be varied. High drought tolerance. |
| | <i>Prunus cerasifera</i> 'Krauter Vesuvius' | Vesuvius Flowering Plum | 30 | 20 | Yes | 5 |  | N/A | | Burgundy colored leaves – tree best used as an accent rather than in mass plantings. |
| | <i>Pterostyrax hispida</i> | Fragrant Epaulette Tree | 40 | 30 | No | 5 |  |  | | Pendulous creamy white flowers – fragrant – difficult to find in the nursery trade. |
| | <i>Pyrus betulifolia</i> | Birch-leaf pear 'Dancer' | 30 | 20 | No | 5 |  | N/A | Yes | Oval, tolerant, white flowers, burgundy purple in fall. |
| | <i>Pyrus calleryana</i> 'Aristocrat' | Aristocrat Pear | 40 | 30 | No | 5 |  |  | | One of the tallest flowering pears – good branch angles, but wood is brittle. Reported as invasive in other areas. |
| | <i>Pyrus calleryana</i> 'Glen's Form' | Chanticleer or Cleveland Select Pear | 40 | 20 | No | 5 |  |  | | Selected variety of callery pear – good spring flowering. Reported as invasive in other areas. |
| | <i>Pyrus calleryana</i> 'Redspire' | Redspire Pear | 35 | 25 | No | 5 |  |  | | Selected variety of callery pear – good spring flowering. Reported as invasive in other areas. |
| | <i>Quercus ilex</i> | Holly Oak | 40 | 30 | No | 5 | N/A | N/A | Yes | Evergreen oak - Underside of leaf is silvery-white. Often has a prominent umbrella form. |
| | <i>Rhamnus purshiana</i> | Cascara | 30 | 20 | Yes | 5 | N/A |  | Yes | Native tree – fall color depends on exposure – purplish fruit feeds many native birds. |
| | <i>Robinia x ambigua</i> | Pink Idaho Locust | 35 | 25 | No | 5 |  |  | | Fragrant flowers. Sterile variety. Drought tolerant. Some varieties will sucker profusely. |
| | <i>Sophora japonica</i> 'Regent' | Japanese Pagodatree | 45 | 40 | No | 6 |  |  | | Has a rapid growth rate and tolerates city conditions, heat, and drought. |
| | <i>Sorbus aucuparia</i> 'Mitchred' | Cardinal Royal Mt. Ash | 35 | 20 | No | 5 |  |  | | A vigorous tree with upright branches and a very symmetrical habit, invasive. |
| | <i>Sorbus x hybridia</i> | Oakleaf Royal Mt. Ash | 30 | 20 | Yes | 5 |  |  | | It has leaves which are similar to English oak, and interesting bark for seasonal features. |
| | <i>Styrax japonica</i> | Japanese Snowbell | 25 | 25 | Yes | 5 |  |  | Yes | Reliable and easy to grow, it has plentiful, green 1/2" inch seeds. Flowers similar to lily in the valley. |
| | <i>Tilia cordata</i> 'De Groot' | De Groot Littleleaf Linden | 30 | 20 | Yes | 5 | N/A |  | | One of the smaller stature littleleaf lindens. |
| | <i>Tilia cordata</i> 'Chancole' | Chancellor Linden | 35 | 20 | No | 6 | N/A |  | | Pyramidal when young. Fragrant flowers that attract bees. |
| | <i>Ulmus parvifolia</i> 'Emer I' | Athena Classic Elm | 30 | 35 | No | 5 | N/A |  | | High resistance to Dutch Elm Disease. Drought resistant. Cinnamon colored exfoliating bark for seasonal interest. |

City Tree List

| Type | Scientific | Common Name | Mature Height | Spread | Under Wires? | Min Strip Width | Flower Color | Fall Color | PRTAB on list | Comments |
|-----------------------------|--|----------------------------------|---------------|--------|--------------|-----------------|---|---|---------------|--|
| Small Columnar Trees | | | | | | | | | | |
| | <i>Maackia amurensis</i> | Amur Maackia | 30 | 20 | Yes | 5 |  | N/A | Yes | Interesting exfoliating bark – flowering in June or July - varies in intensity from year to year. |
| | <i>Malus floribunda</i> 'Adirondack' | Adirondack Crabapple | 20 | 10 | Yes | 5 |  |  | Yes | Very resistant to apple scab – one of the narrowest crabapples – persistent reddish ¼” fruit. |
| | <i>Malus</i> 'Red Barron' | Red Barron Crabapple | 20 | 10 | Yes | 5 |  |  | | Deep pink blossom and persistent red berries for seasonal interest. |
| | <i>Parrotia persica</i> 'JLColumnar' | Persian Spire parrotia | 25 | 10 | Yes | 4 | N/A |  | Yes | New, columnar, bronze leaf edges. |
| | <i>Prunus serrulata</i> 'Amanogawa' | Amanogawa Flowering Cherry | 20 | 8 | Yes | 6 |  |  | Yes | Pinkish flower bud, changing to white flower. |
| | <i>Sorbus americana</i> 'Dwarfscrown' | Red Cascade Mountain Ash | 20 | 10 | Yes | 5 |  |  | | Nice winter form - Red berries in clusters. |
| Small Trees | | | | | | | | | | |
| | <i>Acer buergerianum</i> | Trident Maple | 30 | 30 | Yes | 5 | N/A |  | Yes | Somewhat shrublike – must train to a single stem – interesting bark. |
| | <i>Acer circinatum</i> | Vine Maple | 25 | 25 | Yes | 5 | N/A |  | | Avoid using on harsh sites – native tree. |
| | <i>Acer ginnala</i> 'Flame' | Flame Amur Maple | 25 | 20 | Yes | 5 |  |  | | Clusters of small cream colored flowers in spring – very fragrant. Nice fall color. Informal branch structure. |
| | <i>Acer glabrum</i> | Douglas (Rocky Mountain) Maple | 30 | 30 | No | 5 | N/A |  | Yes | Sun to part shade, yellow fall color. |
| | <i>Acer griseum</i> | Paperbark Maple | 30 | 20 | Yes | 5 | N/A |  | | Peeling cinnamon colored bark for seasonal interest. |
| | <i>Acer palmatum</i> | Japanese Maple | 20 | 25 | Yes | 5 | N/A |  | | Many varieties available – select larger varieties for street planting. |
| | <i>Acer pseudosieboldianum</i> | Korean maple | 22 | 20 | Yes | 4 | N/A |  | Yes | Sun, shade, upright, good fall color. |
| | <i>Acer tataricum</i> 'Patdell' | Pattern Perfect Tatarian maple | 25 | 20 | Yes | 4 |  |  | Yes | Oval shape, entire-leafed (no lobes), sturdy, fall color |
| | <i>Acer triflorum</i> | Three-Flower Maple | 25 | 20 | Yes | 5 | N/A |  | | Multi seasonal interest with tan, exfoliating bark and red, orange/red fall color. |
| | <i>Amelanchier grandiflora</i> 'Princess Diana' | Princess Diana Serviceberry | 20 | 15 | Yes | 4 |  |  | | Good for narrower planting strips. |
| | <i>Amelanchier grandiflora</i> | Rainbow Pillar 'Glenn's Upright' | 20 | 15 | Yes | 4 |  |  | Yes | White flowers; edible fruit; red fall color. |
| | <i>Amelanchier grandiflora</i> | Serviceberry 'Robin Hill' | 25 | 15 | Yes | 4 |  |  | Yes | Upright oval; sun; colorful, low maintenance |
| | <i>Amelanchier laevis</i> 'JFS-ARB' | Serviceberry 'Spring Flurry' | 28 | 20 | No | 4 |  |  | Yes | Upright oval, sun, reliable street tree |
| | <i>Amelanchier laevis</i> | Serviceberry 'Snowcloud' | 25 | 15 | Yes | 4 |  |  | Yes | Upright oval, sun/part shade, reliable street tree. |
| | <i>Amelanchier laevis</i> | Serviceberry 'Cumulus' | 25 | 10 | No | 4 |  |  | Yes | Upright, early bloom, reliable street tree. |
| | <i>Amelanchier x grandiflora</i> 'Autumn Brilliance' | Autumn Brilliance Serviceberry | 20 | 15 | Yes | 4 |  |  | | Good for narrower planting strips – reliable bloom and fall color. |
| | <i>Arbutus</i> 'Marina' | Strawberry Tree | 25 | 20 | Yes | 5 |  | N/A | Yes | Substitute for Pacific madrone – Shaggy bark, evergreen, full sun tree form difficult to maintain. |
| | <i>Asimina triloba</i> | Paw Paw | 30 | 20 | Yes | 5 |  | N/A | | Burgundy flower in spring before leaves. Shaggy bark, full sun, tree form difficult to maintain. |
| | <i>Carpinus japonica</i> | Japanese Hornbeam | 20 | 25 | Yes | 5 | N/A |  | | Wide spreading, slow growing – fall color is not outstanding. |
| | <i>Cercis canadensis</i> | Eastern Redbud | 25 | 30 | Yes | 5 |  |  | | Deep pink flowers on bare twigs in spring. |
| | <i>Cercis siliquastrum</i> | Judas Tree | 25 | 30 | Yes | 5 |  |  | | Deep pink flowers on bare twigs in spring – drought resistant. |
| | <i>Cornus alternifolia</i> | Pagoda Dogwood | 25 | 25 | Yes | 5 |  |  | | Small white flowers in flat clusters – fall color is varied. |
| | <i>Cornus kousa</i> 'Chinensis' | Kousa Dogwood | 20 | 20 | Yes | 4 |  |  | Yes | Does not do well on harsh, dry sites. |
| | <i>Cornus x 'Rutban'</i> | Aurora dogwood | 20 | 20 | No | 5 |  |  | Yes | Upright to spreading, pink flowers, red fall color. |
| | <i>Cornus mas</i> | Cornelian cherry | 25 | 20 | Yes | 5 |  | N/A | Yes | Early small yellow flowers, wildlife value, edible fruit. |
| | <i>Cotinus obovatus</i> | American Smoke Tree | 25 | 25 | Yes | 4 |  |  | Yes | Showy pinkish panicles of flowers in the spring – reddish purple leaves on some varieties. |
| | <i>Lagerstroemia 'tuscarora'</i> | Tuscarora Hybrid Crape Myrtle | 20 | 20 | Yes | 4 |  |  | | Light cinnamon brown bark lends year round interest – drought resistant – likes a warm site. |
| | <i>Magnolia</i> 'Elizabeth' | Elizabeth Magnolia | 30 | 20 | Yes | 5 |  | N/A | | Yellowish to cream colored flower in spring. |
| | <i>Magnolia</i> 'Galaxy' | Galaxy Magnolia | 25 | 25 | Yes | 5 |  |  | Yes | Showy pink flowers. |
| | <i>Magnolia x loebneri</i> | Loebner Magnolia | 20 | 20 | Yes | 5 |  |  | Yes | Flower is 'star' shaped rather than tulip like – white to pinkish white in March or April. |
| | <i>Malus</i> 'Golden Raindrops' | Golden Raindrops Crabapple | 20 | 20 | Yes | 5 |  |  | | Disease resistant – persistent yellow fruit in fall and winter. |
| | <i>Malus</i> 'Donald Wyman' | Donald Wyman Crabapple | 25 | 25 | Yes | 5 |  |  | | Large white blossom – nice green foliage in summer. |

City Tree List

| Type | Scientific | Common Name | Mature Height | Spread | Under Wires? | Min Strip Width | Flower Color | Fall Color | PRTAB on list | Comments |
|--------------------|---|--------------------------------|---------------|--------|--------------|-----------------|---|---|---------------|---|
| Small Trees | | | | | | | | | | |
| | <i>Malus 'Jarmin'</i> | Marilee crabapple | 24 | 10 | Yes | 4 |  | N/A | Yes | Upright, nearly fruitless, large mid-spring white flowers. |
| | <i>Malus 'Lancelot' ('Lanzam')</i> | Lancelot Crabapple | 15 | 15 | Yes | 4 |  |  | | Red flower buds, blooming white – red persistent fruit. |
| | <i>Malus 'Royal Raindrops'</i> | Malus x JFS-KWS | 15 | 15 | No | 4 |  | N/A | Yes | Purplish leaves, late spring pink flowers, maroon fruit. |
| | <i>Malus 'Sugar Tyme'</i> | Malus Sutyzam | 18 | 15 | No | 4 |  | N/A | Yes | Upright spreading, early spring white flowers, red fruit. |
| | <i>Parrotia persica</i> | Persian Parrotia | 30 | 20 | No | 5 |  |  | Yes | Blooms before it leafs out – drought tolerant - Varied fall color - reds, oranges and yellows. |
| | <i>Parrotia persica 'Ruby Vase'</i> | Ruby Vase ironwood | 28 | 16 | Yes | 4 |  |  | Yes | Upright, new foliage red, bright fall color. |
| | <i>Parrotia persica 'Vanessa'</i> | Vanessa parrotia | 28 | 14 | No | 4 |  |  | Yes | Upright, red fall foliage & winter flowers, tolerant. |
| | <i>Prunus 'Frankthrees'</i> | Mt. St. Helens Plum | 20 | 20 | Yes | 5 |  | N/A | | Burgundy colored leaves – tree best used as an accent rather than in mass plantings. |
| | <i>Prunus 'Newport'</i> | Newport Plum | 20 | 20 | Yes | 5 |  | N/A | | Burgundy colored leaves – tree best used as an accent rather than in mass plantings. |
| | <i>Prunus 'Snowgoose'</i> | Snow Goose Cherry | 20 | 20 | Yes | 5 |  |  | Yes | This selection sports abundant white flowers and healthy green, disease-resistant foliage. |
| | <i>Prunus cerasifera 'Thundercloud'</i> | Thundercloud Plum | 30 | 20 | No | 5 |  | N/A | | Burgundy colored leaves – tree best used as an accent rather than in mass plantings – can produce significant fruit |
| | <i>Prunus x yedoensis 'Akebono'</i> | Akebono Flowering Cherry | 25 | 25 | Yes | 6 |  |  | Yes | Has masses of large, semi-double, pink flowers, most widely planted cherry in Pacific Northwest. |
| | <i>Sorbus alnifolia</i> | Korean Mountain Ash | 35 | 30 | No | 5 |  |  | | Simple leaves and beautiful pink/red fruit. |
| | <i>Stewartia monodelpha</i> | Orange Bark Stewartia | 30 | 20 | Yes | 5 |  |  | | Extraordinary cinnamon colored bark – avoid hot, dry sites. |
| | <i>Stewartia pseudocamellia</i> | Japanese Stewartia | 25 | 15 | Yes | 5 |  |  | Yes | Patchwork bark, white flower in spring. |
| | <i>Styrax obassia</i> | Fragrant Styrax | 25 | 20 | Yes | 5 |  |  | | Smooth gray bark and fragrant white flowers. |
| | <i>Syringa reticulata 'Ivory Silk'</i> | Ivory Silk Japanese Tree Lilac | 20 | 15 | No | 4 |  | N/A | Yes | Rounded, sun, fragrant flowers, low maintenance, tolerant. |
| | <i>Zelkova serrata</i> | City Sprite Zelkova JFS-KWI | 25 | 20 | Yes | 4 | N/A |  | Yes | Bright green foliage, low maintenance. |
| | <i>Zelkova serrata</i> | Wireless; Schmidflow | 25 | 35 | Yes | 8 | N/A |  | Yes | Spreading vase shape, elm-like, firm hand when young. |